K9860

Automatic Kjeldahl Analyzer

K9860 Automatic Kjeldahl Analyzer is an automatic device integrating distillation and titration functions designed based on classic Kjeldahl nitrogen determination method. It's equipped with the latest core control system, powerful automatic degree and high-quality components, can easily achieve automatic cleaning of digestion tubes and titration cups, control steam supply and have real-time detection of condensation temperature. High-accuracy charging pump and titration system ensure test results accuracy, and multiple fluid level detection gives smooth test process.



Characteristics

- Automatic cleaning ensure operator safety and save time.
- External titration cup design gives operator real-time control of the whole test process.
- High-precision charging pump and titration ensure test results accuracy.
- The temperature of distilled liquid is detected real time. If the temperature of distilled liquid is abnormal, to ensure the accuracy of experiment's result, instrument will stop working.

Features

- High accuracy dozing and working: adopt 4 KNF pumps work for dozing, measurement liquid volume.
- Easy Maintenance: Pre-install functions of cleaning, include receiving cup cleaning, alkali pipeline cleaning, boric acid pipeline cleaning, acid washing, steam bottle evacuation. support customer make the routine maintenance easily.
- High titration accuracy, up to 2.0µL/step.
- · Integrated printer on the instruments



Measuring range $\rm 0.1mg \sim 240mg \ N$ Analysis time $5\sim$ 10min/sample Reproducibility Average value relative error ≤±0.5% ≧99.5% Recovery Burette volume 2.0µL/step Sample capacity solid ≦ 5g/sample, liquid ≦ 20mL/sample Water consumption in the distillation process 1.5L/min Data storage capacity 1000 groups Power supply 220VAC±10%, 50Hz Power 2Kw Net weight 38Kg Dimensions 455mm×391mm×730mm